





PART NUMBER:				
SL-25-3/16-200A				
1	2	3	4	5
1	SL FOR SLICKLINE WHEEL FP FOR FLATPACK WHEEL			
2	SHEAVE SIZE 25 OR 30			
3	LINE SIZE AS REQUIRED			
4	100 FOR DISCONTINUED MODEL 200 FOR SIDE-LOCK MODEL			
5	A FOR ATLAS CLEVIS E FOR EYE CLEVIS J FOR JAW CLEVIS S FOR SCHLUMBERGER CLEVIS			

SHEAVE LOADS				
	25" SLICKLINE	25" FLATPACK	30" SLICKLINE	30" FLATPACK
SAFE WORKING LOAD	10,000 LBS	6,000 LBS	9,000 LBS	6,000 LBS
PROOF TEST LOAD	20,000 LBS	12,000 LBS	18,000 LBS	12,000 LBS


SHEET 1 OF 2

NOTES		CONFIDENTIALITY		REVISIONS				DRAWING APPROVAL				 Wireline TECHNOLOGIES 2140 NORTH REDWOOD ROAD #60 SALT LAKE CITY, UT 84116 TEL. (801) 323 - 5533 FAX. (801) 323 - 7033		
▶ PREPACK ALL BEARINGS AND O-RINGS WITH POWERTAC HT EP2 GREASE. ▶▶ FILL CENTER OF HUB WITH POWERTAC HT EP2 GREASE. ▶▶ PRELOAD BEARINGS BY TIGHTENING TO 100 IN. LBS. THEN TO NEXT HOLE. ▶▶▶ LUBRICATE THESE PARTS W/ LIGHT MACHINE OIL. ▶▶▶ COAT THESE THREADS WITH ANTI-SIEZE LUBRICANT (RS-098). ▶▶▶ COAT THESE THREADS WITH LOCTITE 262 (LTS-100). ▶▶▶ COAT THESE THREADS WITH EPOXY (LTS-200). ▶▶▶▶ PARTS FOR EYE CLEVIS OPTION. ▶▶▶▶ PARTS FOR ATLAS CLEVIS OPTION. ▶▶▶▶ PARTS FOR SCHLUMBERGER CLEVIS OPTION. ▶▶▶▶ PARTS FOR JAW CLEVIS OPTION. ▶▶▶▶ PARTS FOR 25"/30" SLICKLINE OPTION. ▶▶▶▶ PARTS FOR 25"/30" FLAT PACK OPTION. ▶▶▶▶▶ PROOF TEST THESE LOAD BEARING COMPONENTS, THEN INSPECT PER DOC. #WTI-129.		THIS DRAWING IS THE CONFIDENTIAL PROPERTY OF WIRELINE TECHNOLOGIES, INC. IT IS FURNISHED FOR YOUR INFORMATION ONLY AND MUST NOT BE MADE PUBLIC. IT MUST NOT BE COPIED AND MUST BE RETURNED ON DEMAND. MANUFACTURE OF PARTS PER THIS DRAWING IS EXPRESSLY FORBIDDEN EXCEPT BY WRITTEN AUTHORIZATION FROM WIRELINE TECHNOLOGIES, INC. ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED AND PATENTS PENDING.						DEPARTMENT	NAME	INITIAL	DATE			
								ENGINEERING	A. SURDI					
				3	CH. HANDLE & LOGO	AS	28-APR-25	QUALITY	B. MACE					
				2	ADDED 25" FP WHEEL BOM	DC	17-MAR-14	MANUFACT.	M. DYSON					
				1	FIXING BOM	DC	16-JULY-12	PRODUCTION	A. DYSON					
				NC			31-JAN-12							
#	DESCRIPTION	INITIAL	DATE					DWG #	SL-25/30-200	REV - 3				

BILL OF MATERIALS FOR 25" SLICKLINE MODEL					
ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	MATERIAL	H T - SPEC
1	RS-1075	CLEVIS - EYE	1	C-1030 STEEL	H. NICK. CR. PL.
2	RS-1087	NYLON INSERT LOCKNUT 10-24	2	18-8 S/S	91831A011
3	SL-30-511	CLEVIS STUD (1 1/4"-12)	1	303 S/S	
4	RS-1086	SHOULDER SCREW 1/4" X 1 3/4"	1	18-8 S/S	90298A547
5	R-20-110	30" CLEVIS - ATLAS	1	17-4 PH S/S	H-1025
6	SL-30-411	CLEVIS STUD (1"-14)	1	303 S/S	
7	R-20-120	SHOULDER SCREW 1/4" X 2 1/4"	1	18-8 S/S	90298A549
8	SL-30-1652	30" CLEVIS - SJ	1	17-4 PH S/S	H-1025
9	SL-30-311	CLEVIS STUD (1"-8)	1	303 S/S	
10	FP-143	HEX NUT (7/8"-9)	1	18-8 S/S	
11	AS-750P	COTTER PIN 3/16" X 1.25"	1	18-8 S/S	
12	FP-141	JAW CLEVIS	1	303 S/S	
13	FP-142	SAFETY BOLT (7/8-9 x 3-1/2")	1	303 S/S	
14	RS-1085	SHOULDER SCREW 1/4" X 1 1/2"	1	18-8 S/S	90298A546
15	RS-1020	CLEVIS WASHER	1	NYLON	WHITE
16	SL-122B	HANDLE (16/20" SLICKLINE)	2	303 S/S	
17	SL-30-122B	LOCKING PIN - 25"/30" SL	2	303 S/S	
18	SL-30-125B	SPRING 25"/30" - SIDE-LOCK	2	302 S/S	
19	SL-25-101B	REAR PLATE 25" SIDE-LOCK	1	6061-T6 ALUM	GOLD ANODIZE
20	HG-110B	SPLIT LOCK WASHER 3/8"	8	18-8 S/S	92146A031
21	SL-137	SOC. HD. CAP SC. 3/8"-24 X 1 3/4"	8	18-8 S/S	92196A364
22	SL-25-113-XX	WHEEL - 25" SL	1	M3	
	WHERE XX IDENTIFIES THE GROOVE SIZE				
23	SL-30-103B	BLOCK 25"/30" - SIDE-LOCK	1	6061-T6 ALUM	GOLD ANODIZE
24	SL-30-127	SHOCK CUSHION	1	BUNA-N	
25	SL-30-143	NYLON WASHER	1	Nylon	
26	SL-30-118	CLEVIS NUT FOR 25"/30" SLICKLINES	1	17-4 PH S/S	H-1025
27	RS-1089	SHOULDER SCREW 1/4" X 2"	1	18-8 S/S	0176903
28		N/A			
29	SL-30-105	SHROUD - 25"/30" SL	4	6061-T6 ALUM	HARD ANODIZE
30		N/A			
31		N/A			
32	SL-30-135	FLAT WASHER 3/8"	8	18-8 S/S	96659A108
33	SL-30-134	HEX HD. CAP SCREW 3/8"-16 X 1.25"	8	18-8 S/S	92240A626
34	RS-1780	GENERAL WARNING & INS. LABEL	1	ALUM	ADHESIVE BACK
35	RS-1272	SPIRAL PIN 1/4" X 1 1/4"	4	420 S/S	93740A422
36	RS-1011A	AXLE NUT - ADJUSTABLE	2	303 S/S	
37	SL-30-128	REINFORCEMENT RING	2	6061-T6 ALUM	GOLD ANODIZE
38	SL-25-104	FRONT PLATE - 25"	1	6061-T6 ALUM	GOLD ANODIZE
39	RS-14/17-1049	O-RING INNER - 14"/17"/26"	2	BUNA - N	#223
40	RS-14/17-1048	O-RING OUTER - 14"/17"	2	BUNA - N	#232
41	RS-14/17-1067S	O-RING SEAT - 14"/17"	2	6061-T6 ALUM	HARD ANOD.
42	RS-1084	BEARING CONE - 14"/17"	2	ALLOY STEEL	LM501349
43	RS-1083	BEARING CUP - 14"/17"	2	ALLOY STEEL	LM501310
44	RS-26-1012	RETAINING RING - 26"	2	STEEL	SH-500 STPA
45	SL-30-114	HUB-SEALED 30"	1	6061-T6 ALUM	HARD ANODIZE
46	RS-1010	WOODRUFF KEY #807	1	316 S/S	
47	RS-1109	AXLE SHAFT	1	17-4 PH S/S	H-900
48	RS-1071	DRIVE SCREW #6 X 3/8"	20	18-8 S/S	91654A146
49	RS-1077	MANUFACTURING LABEL	1	PAPER	LAMINATED
50	G2-180	REFLECTOR	3	ALUM	

BILL OF MATERIALS FOR 25" FLAT PACK MODEL					
ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	MATERIAL	H T - SPEC
1	RS-1075	CLEVIS - EYE	1	C-1030 STEEL	H. NICK. CR. PL.
2	RS-1087	NYLON INSERT LOCKNUT 10-24	2	18-8 S/S	91831A011
3	SL-30-511	CLEVIS STUD (1 1/4"-12)	1	303 S/S	
4	RS-1086	SHOULDER SCREW 1/4" X 1 3/4"	1	18-8 S/S	90298A547
5	R-20-110	30" CLEVIS - ATLAS	1	17-4 PH S/S	H-1025
6	SL-30-411	CLEVIS STUD (1"-14)	1	303 S/S	
7	R-20-120	SHOULDER SCREW 1/4" X 2 1/4"	1	18-8 S/S	90298A549
8	SL-30-1652	30" CLEVIS - SJ	1	17-4 PH S/S	H-1025
9	SL-30-311	CLEVIS STUD (1"-8)	1	303 S/S	
10	FP-143	HEX NUT (7/8"-9)	1	18-8 S/S	
11	AS-750P	COTTER PIN 3/16" X 1.25"	1	18-8 S/S	
12	FP-141	JAW CLEVIS	1	303 S/S	
13	FP-142	SAFETY BOLT (7/8-9 x 3-1/2")	1	303 S/S	
14	RS-1085	SHOULDER SCREW 1/4" X 1 1/2"	1	18-8 S/S	90298A546
15	RS-1020	CLEVIS WASHER	1	NYLON	WHITE
16	SL-122B	HANDLE (16/20" SLICKLINE)	2	303 S/S	
17	SL-30-122B	LOCKING PIN - 25"/30" SL	2	303 S/S	
18	SL-30-125B	SPRING 25"/30" - SIDE-LOCK	2	302 S/S	
19	SL-25-101B	REAR PLATE 25" SIDE-LOCK	1	6061-T6 ALUM	GOLD ANODIZE
20	HG-110B	SPLIT LOCK WASHER 3/8"	8	18-8 S/S	92146A031
21	SL-137	SOC. HD. CAP SC. 3/8"-24 X 1 3/4"	8	18-8 S/S	92196A364
22	SL-25-113-04	WHEEL - 25" FLAT PACK RADIUSED	1	M3	
23	SL-30-103B	BLOCK 25"/30" - SIDE-LOCK	1	6061-T6 ALUM	GOLD ANODIZE
24	SL-30-127	SHOCK CUSHION	1	BUNA-N	
25	SL-30-143	NYLON WASHER	1	Nylon	
26	SL-30-118	CLEVIS NUT FOR 25"/30" SLICKLINES	1	17-4 PH S/S	H-1025
27	RS-1089	SHOULDER SCREW 1/4" X 2"	1	18-8 S/S	0176903
28	FP-30-105	SHROUD - 30" FP	2	6061-T6 ALUM	HARD ANODIZE
29		N/A			
30	SL-30-134	HEX HD. CAP SCREW 3/8"-16 X 1.25"	4	18-8 S/S	92240A626
31	SL-30-135	FLAT WASHER 3/8"	4	18-8 S/S	96659A108
32		N/A			
33		N/A			
34	RS-1780	GENERAL WARNING & INS. LABEL	1	ALUM	ADHESIVE BACK
35	RS-1272	SPIRAL PIN 1/4" X 1 1/4"	4	420 S/S	93740A422
36	RS-1011A	AXLE NUT - ADJUSTABLE	2	303 S/S	
37	SL-30-128	REINFORCEMENT RING	2	6061-T6 ALUM	GOLD ANODIZE
38	SL-25-104	FRONT PLATE - 25"	1	6061-T6 ALUM	GOLD ANODIZE
39	RS-14/17-1049	O-RING INNER - 14"/17"/26"	2	BUNA - N	#223
40	RS-14/17-1048	O-RING OUTER - 14"/17"	2	BUNA - N	#232
41	RS-14/17-1067S	O-RING SEAT - 14"/17"	2	6061-T6 ALUM	HARD ANOD.
42	RS-1084	BEARING CONE - 14"/17"	2	ALLOY STEEL	LM501349
43	RS-1083	BEARING CUP - 14"/17"	2	ALLOY STEEL	LM501310
44	RS-26-1012	RETAINING RING - 26"	2	STEEL	SH-500 STPA
45	SL-30-114	HUB-SEALED 30"	1	6061-T6 ALUM	HARD ANODIZE
46	RS-1010	WOODRUFF KEY #807	1	316 S/S	
47	RS-1109	AXLE SHAFT	1	17-4 PH S/S	H-900
48	RS-1071	DRIVE SCREW #6 X 3/8"	20	18-8 S/S	91654A146
49	RS-1077	MANUFACTURING LABEL	1	PAPER	LAMINATED
50	G2-180	REFLECTOR	3	ALUM	


SHEET 2 OF 2

NOTES	CONFIDENTIALITY	REVISIONS				DRAWING APPROVAL				 Wireline TECHNOLOGIES 2140 NORTH REDWOOD ROAD #60 SALT LAKE CITY, UT 84116 TEL. (801) 323 - 5533 FAX. (801) 323 - 7033		
▶ PREPACK ALL BEARINGS AND O-RINGS WITH POWERTAC HT EP2 GREASE. ▶ FILL CENTER OF HUB WITH POWERTAC HT EP2 GREASE. ▶ PRELOAD BEARINGS BY TIGHTENING TO 100 IN. LBS. THEN TO NEXT HOLE. ▶ LUBRICATE THESE PARTS W/ LIGHT MACHINE OIL. ▶ COAT THESE THREADS WITH ANTI-SIEZE LUBRICANT (RS-098). ▶ COAT THESE THREADS WITH LOCTITE 262 (LTS-101). ▶ COAT THESE THREADS WITH EPOXY (LTS-200). ▶ PARTS FOR EYE CLEVIS OPTION. ▶ PARTS FOR ATLAS CLEVIS OPTION. ▶ PARTS FOR SCHLUMBERGER CLEVIS OPTION. ▶ PARTS FOR JAW CLEVIS OPTION. ▶ PARTS FOR 25"/30" SLICKLINE OPTION. ▶ PARTS FOR 25"/30" FLAT PACK OPTION. ▶ PROOF TEST THESE LOAD BEARING COMPONENTS, THEN INSPECT PER DOC. #WTI-129.	THIS DRAWING IS THE CONFIDENTIAL PROPERTY OF WIRELINE TECHNOLOGIES, INC. IT IS FURNISHED FOR YOUR INFORMATION ONLY AND MUST NOT BE MADE PUBLIC. IT MUST NOT BE COPIED AND MUST BE RETURNED ON DEMAND. MANUFACTURE OF PARTS PER THIS DRAWING IS EXPRESSLY FORBIDDEN EXCEPT BY WRITTEN AUTHORIZATION FROM WIRELINE TECHNOLOGIES, INC. ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED AND PATENTS PENDING.					DEPARTMENT	NAME	INITIAL	DATE			
						ENGINEERING	A. SURDI					
		3	CH. HANDLE & LOGO	AS	28-APR-25	QUALITY	B. MACE					
		2	ADDED 25" FP WHEEL BOM	DC	17-MAR-14	MANUFACT.	M. DYSON					
		1	FIXING BOM	DC	16-JULY-12	PRODUCTION	A. DYSON					
		NC			31-JAN-12							
		#	DESCRIPTION	INITIAL	DATE							DWG #

BILL OF MATERIALS FOR 30" SLICKLINE MODEL						
	ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	MATERIAL	H T - SPEC
8	1	RS-1075	CLEVIS - EYE	1	C-1030 STEEL	H. NICK. CR. PL.
	2	RS-1087	NYLON INSERT LOCKNUT 10-24	2	18-8 S/S	91831A011
4	3	SL-30-511	CLEVIS STUD (1 1/4"-12)	1	303 S/S	
8	4	RS-1086	SHOULDER SCREW 1/4" X 1 3/4"	1	18-8 S/S	90298A547
9	5	R-20-110	30" CLEVIS - ATLAS	1	17-4 PH S/S	H-1025
4	6	SL-30-411	CLEVIS STUD (1"-14)	1	303 S/S	
9	7	R-20-120	SHOULDER SCREW 1/4" X 2 1/4"	1	18-8 S/S	90298A549
10	8	SL-30-1652	30" CLEVIS - SJ	1	17-4 PH S/S	H-1025
10	9	SL-30-311	CLEVIS STUD (1"-8)	1	303 S/S	
	10	FP-143	HEX NUT (7/8"-9)	1	18-8 S/S	
	11	AS-750P	COTTER PIN 3/16" X 1.25"	1	18-8 S/S	
11	12	FP-141	JAW CLEVIS	1	303 S/S	
	13	FP-142	SAFETY BOLT (7/8-9 x 3-1/2")	1	303 S/S	
11	14	RS-1085	SHOULDER SCREW 1/4" X 1 1/2"	1	18-8 S/S	90298A546
	15	RS-1020	CLEVIS WASHER	1	NYLON	WHITE
4	16	SL-122B	HANDLE (16/20" SLICKLINE)	2	303 S/S	
	17	SL-30-122B	LOCKING PIN - 25"/30" SL	2	303 S/S	
	18	SL-30-125B	SPRING 25"/30" - SIDE-LOCK	2	302 S/S	
14	19	SL-30-101B	REAR PLATE 30" SIDE-LOCK	1	6061-T6 ALUM	GOLD ANODIZE
	20	HG-110B	SPLIT LOCK WASHER 3/8"	8	18-8 S/S	92146A031
14	21	SL-137	SOC. HD. CAP SC. 3/8"-24 X 1 3/4"	8	18-8 S/S	92196A364
14	22	SL-30-113-XX	WHEEL - 30" SL	1	M3	
		WHERE XX IDENTIFIES THE GROOVE SIZE				
14	23	SL-30-103B	BLOCK 25"/30" - SIDE-LOCK	1	6061-T6 ALUM	GOLD ANODIZE
	24	SL-30-127	SHOCK CUSHION	1	BUNA-N	
	25	SL-30-143	NYLON WASHER	1	Nylon	
	26	SL-30-118	CLEVIS NUT FOR 25"/30" SLICKLINES	1	17-4 PH S/S	H-1025
	27	RS-1089	SHOULDER SCREW 1/4" X 2"	1	18-8 S/S	0176903
13	28		N/A			
12	29	SL-30-105	SHROUD - 25"/30" SL	4	6061-T6 ALUM	HARD ANODIZE
13	30		N/A			
13	31		N/A			
12	32	SL-30-135	FLAT WASHER 3/8"	8	18-8 S/S	96659A108
12	33	SL-30-134	HEX HD. CAP SCREW 3/8"-16 X 1.25"	8	18-8 S/S	92240A626
	34	RS-1780	GENERAL WARNING & INS. LABEL	1	ALUM	ADHESIVE BACK
	35	RS-1272	SPIRAL PIN 1/4" X 1 1/4"	4	420 S/S	93740A422
3	36	RS-1011A	AXLE NUT - ADJUSTABLE	2	303 S/S	
	37	SL-30-128	REINFORCEMENT RING	2	6061-T6 ALUM	GOLD ANODIZE
14	38	SL-30-104	FRONT PLATE - 30"	1	6061-T6 ALUM	GOLD ANODIZE
1	39	RS-14/17-1049	O-RING INNER - 14"/17"/26"	2	BUNA - N	#223
1	40	RS-14/17-1048	O-RING OUTER - 14"/17"	2	BUNA - N	#232
	41	RS-14/17-1067S	O-RING SEAT - 14"/17"	2	6061-T6 ALUM	HARD ANOD.
1	42	RS-1084	BEARING CONE - 14"/17"	2	ALLOY STEEL	LM501349
	43	RS-1083	BEARING CUP - 14"/17"	2	ALLOY STEEL	LM501310
	44	RS-26-1012	RETAINING RING - 26"	2	STEEL	SH-500 STPA
	45	SL-30-114	HUB-SEALED 30"	1	6061-T6 ALUM	HARD ANODIZE
2	46	RS-1010	WOODRUFF KEY #807	1	316 S/S	
	47	RS-1109	AXLE SHAFT	1	17-4 PH S/S	H-900
14	48	RS-1071	DRIVE SCREW #6 X 3/8"	20	18-8 S/S	91654A146
	49	RS-1077	MANUFACTURING LABEL	1	PAPER	LAMINATED
	50	G2-180	REFLECTOR	3	ALUM	

SHEET 2 OF 2

BILL OF MATERIALS FOR 30" FLAT PACK MODEL						
ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	MATERIAL	H T - SPEC	
1	RS-1075	CLEVIS - EYE	1	C-1030 STEEL	H. NICK. CR. PL.	
2	RS-1087	NYLON INSERT LOCKNUT 10-24	2	18-8 S/S	91831A011	
3	SL-30-511	CLEVIS STUD (1 1/4"-12)	1	303 S/S		
4	RS-1086	SHOULDER SCREW 1/4" X 1 3/4"	1	18-8 S/S	90298A547	
5	R-20-110	30" CLEVIS - ATLAS	1	17-4 PH S/S	H-1025	
6	SL-30-411	CLEVIS STUD (1"-14)	1	303 S/S		
7	R-20-120	SHOULDER SCREW 1/4" X 2 1/4"	1	18-8 S/S	90298A549	
8	SL-30-1652	30" CLEVIS - SJ	1	17-4 PH S/S	H-1025	
9	SL-30-311	CLEVIS STUD (1"-8)	1	303 S/S		
10	FP-143	HEX NUT (7/8"-9)	1	18-8 S/S		
11	AS-750P	COTTER PIN 3/16" X 1.25"	1	18-8 S/S		
12	FP-141	JAW CLEVIS	1	303 S/S		
13	FP-142	SAFETY BOLT (7/8-9 x 3-1/2")	1	303 S/S		
14	RS-1085	SHOULDER SCREW 1/4" X 1 1/2"	1	18-8 S/S	90298A546	
15	RS-1020	CLEVIS WASHER	1	NYLON	WHITE	
16	SL-122B	HANDLE (16/20" SLICKLINE)	2	303 S/S		
17	SL-30-122B	LOCKING PIN - 25"/30" SL	2	303 S/S		
18	SL-30-125B	SPRING 25"/30" - SIDE-LOCK	2	302 S/S		
19	SL-30-101B	REAR PLATE 30" SIDE-LOCK	1	6061-T6 ALUM	GOLD ANODIZE	
20	HG-110B	SPLIT LOCK WASHER 3/8"	8	18-8 S/S	92146A031	
21	SL-137	SOC. HD. CAP SC. 3/8"-24 X 1 3/4"	8	18-8 S/S	92196A364	
22	SL-30-113-04	WHEEL - 30" FLAT PACK RADIUSD	1	M3		
23	SL-30-103B	BLOCK 25"/30" - SIDE-LOCK	1	6061-T6 ALUM	GOLD ANODIZE	
24	SL-30-127	SHOCK CUSHION	1	BUNA-N		
25	SL-30-143	NYLON WASHER	1	Nylon		
26	SL-30-118	CLEVIS NUT FOR 25"/30" SLICKLINES	1	17-4 PH S/S	H-1025	
27	RS-1089	SHOULDER SCREW 1/4" X 2"	1	18-8 S/S	0176903	
28	FP-30-105	SHROUD - 30" FP	2	6061-T6 ALUM	HARD ANODIZE	
29		N/A				
30	SL-30-134	HEX HD. CAP SCREW 3/8"-16 X 1.25"	4	18-8 S/S	92240A626	
31	SL-30-135	FLAT WASHER 3/8"	4	18-8 S/S	96659A108	
32		N/A				
33		N/A				
34	RS-1780	GENERAL WARNING & INS. LABEL	1	ALUM	ADHESIVE BACK	
35	RS-1272	SPIRAL PIN 1/4" X 1 1/4"	4	420 S/S	93740A422	
36	RS-1011A	AXLE NUT - ADJUSTABLE	2	303 S/S		
37	SL-30-128	REINFORCEMENT RING	2	6061-T6 ALUM	GOLD ANODIZE	
38	SL-30-104	FRONT PLATE - 30"	1	6061-T6 ALUM	GOLD ANODIZE	
39	RS-14/17-1049	O-RING INNER - 14"/17"/26"	2	BUNA - N	#223	
40	RS-14/17-1048	O-RING OUTER - 14"/17"	2	BUNA - N	#232	
41	RS-14/17-1067S	O-RING SEAT - 14"/17"	2	6061-T6 ALUM	HARD ANOD.	
42	RS-1084	BEARING CONE - 14"/17"	2	ALLOY STEEL	LM501349	
43	RS-1083	BEARING CUP - 14"/17"	2	ALLOY STEEL	LM501310	
44	RS-26-1012	RETAINING RING - 26"	2	STEEL	SH-500 STPA	
45	SL-30-114	HUB-SEALED 30"	1	6061-T6 ALUM	HARD ANODIZE	
46	RS-1010	WOODRUFF KEY #807	1	316 S/S		
47	RS-1109	AXLE SHAFT	1	17-4 PH S/S	H-900	
48	RS-1071	DRIVE SCREW #6 X 3/8"	20	18-8 S/S	91654A146	
49	RS-1077	MANUFACTURING LABEL	1	PAPER	LAMINATED	
50	G2-180	REFLECTOR	3	ALUM		

NOTES	CONFIDENTIALITY	REVISIONS				DRAWING APPROVAL				 Wireline TECHNOLOGIES 2140 NORTH REDWOOD ROAD #60 SALT LAKE CITY, UT 84116 TEL. (801) 323 - 5533 FAX. (801) 323 - 7033		
▶ PREPACK ALL BEARINGS AND O-RINGS WITH POWERTAC HT EP2 GREASE. ▶ FILL CENTER OF HUB WITH POWERTAC HT EP2 GREASE. ▶ PRELOAD BEARINGS BY TIGHTENING TO 100 IN. LBS. THEN TO NEXT HOLE. ▶ LUBRICATE THESE PARTS W/ LIGHT MACHINE OIL. ▶ COAT THESE THREADS WITH ANTI-SIEZE LUBRICANT (RS-098). ▶ COAT THESE THREADS WITH LOCTITE 262 (LTS-101). ▶ COAT THESE THREADS WITH EPOXY (LTS-200). ▶ PARTS FOR EYE CLEVIS OPTION. ▶ PARTS FOR ATLAS CLEVIS OPTION. ▶ PARTS FOR SCHLUMBERGER CLEVIS OPTION. ▶ PARTS FOR JAW CLEVIS OPTION. ▶ PARTS FOR 25"/30" SLICKLINE OPTION. ▶ PARTS FOR 25"/30" FLAT PACK OPTION. ▶ PROOF TEST THESE LOAD BEARING COMPONENTS, THEN INSPECT PER DOC. #WTI-129.	THIS DRAWING IS THE CONFIDENTIAL PROPERTY OF WIRELINE TECHNOLOGIES, INC. IT IS FURNISHED FOR YOUR INFORMATION ONLY AND MUST NOT BE MADE PUBLIC. IT MUST NOT BE COPIED AND MUST BE RETURNED ON DEMAND. MANUFACTURE OF PARTS PER THIS DRAWING IS EXPRESSLY FORBIDDEN EXCEPT BY WRITTEN AUTHORIZATION FROM WIRELINE TECHNOLOGIES, INC. ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED AND PATENTS PENDING.					DEPARTMENT	NAME	INITIAL	DATE			
						ENGINEERING	A. SURDI					
		3	CH. HANDLE & LOGO	AS	28-APR-25	QUALITY	B. MACE					
		2	ADDED 25" FP WHEEL BOM	DC	17-MAR-14	MANUFACT.	M. DYSON					
		1	FIXING BOM	DC	16-JULY-12	PRODUCTION	A. DYSON					
		NC			31-JAN-12							
		#	DESCRIPTION	INITIAL	DATE					DWG #	SL-25/30-200	REV - 3